

INSTRUCTIONS TO DELIVER TO EMPLOYEE

☒ Show to whom and date delivered ☐ Show to whom, date and address where delivered ☐ Deliver ONLY to addressee
(Additional charges required for these services)

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (Must always be filled in)

CERTIFIED NO.

INSURED NO.

DATE DELIVERED

SHOW WHERE DELIVERED (only if requested)

APR 11 1969

665-18-71548-9 GPO

LOS ANGELES
COUNTY ENGINEER
WASTE DIVISION

VIOLATION
D
COMPLY

Date 4/10/69File Violations & ComplaintsTo Five Line Paint Corp., Mr. Art Holst, Secretary & ManagerLocation 12200 Los Nietos Rd., Santa Fe Springs, California

You are hereby directed to correct the following violations of Los Angeles County Ordinance
Section 6301, also included in Santa Fe Springs Ordinance 79.
No. 6130 and ~~on the conditions and limitations of Industrial Waste Disposal Permit No. 157~~

by _____, 19____

~~You have been washing your paint mixing kettles on your paved lot on
the east side of your building at the above address and the waste water
flows to the unpaved area outside your driveway entrance, thence onward
down to the unpaved public street gutter.~~

~~This creates a public nuisance and may be a menace to public health or
safety and may pollute underground or surface waters. Such practice cannot
be tolerated and must be discontinued from this day forward upon receipt
of this order.~~

~~Any disposal of industrial waste must be done so in a proper manner and
legalized by first obtaining an Industrial Waste Disposal Permit, as
outlined in Section 6202. Any industrial waste hauled, must go to a
legal disposal site and properly signed hauling tickets must be available
to us for our final approval.~~

700 Los Angeles County
Engineering Building
108 West Second Street
Los Angeles, California 90012

JOHN A. LAMBIE, COUNTY ENGINEER
CARROLL D. SMITH, DIVISION ENGINEER

By Joe Knight
Head Industrial Waste Engineering
Inspector

COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
INDUSTRIAL WASTE DIVISION

Lab. Copy WHITE
File Copy CANARY
Field Copy PINK

CHEMICAL ANALYSIS

Analysis requested by J. R. KNIGHT Job No. 3240010

Sample of WASTE WASH WATER FROM FIRE LINE POINT CORP.
12200 L. Nietes Rd. Santa Fe Springs - file:

Source of suspected contaminants, i.e., character of industrial process, etc.

Wash water from cleaning, mixing kettles is dumped onto ground.

Sample marked 1059 collected by J. R. Knight

Quantity 1/2 gal Date 4-8-69 Time of day 2 P.M.

	PARTS PER MILLION		PARTS PER MILLION
Calcium	125	Hydroxide	6
Magnesium	14	Carbonate	6
Potassium		Bicarbonate	529
Sodium	126	Chloride	40
Iron	16	Sulfate	108
Manganese	2.1	Nitrate	14
Aluminum	6	Sulfide	0
Boron	0	Fluoride	0
Chromium, hexavalent	0	Phosphate	71
Silica	8	Cyanide	6
Total Cations	278.7	Total Anions	731

Total Ions (calculated dissolved solids)


740

pH	7.0	Dissolved Oxygen	
Hardness (as CaCO ₃)	365	Biochemical Oxygen Demand	
Alkalinity (as CaCO ₃)	3.5	Dissolved Solids	
Carbon Dioxide (Calc.)	13.2	Suspended Solids	
Phenols		Total Solids	
Oil & Grease		Turbidity	Opague
Non-Carbonate Hardness	6	Sodium Ratio	92.4
Conductance, micromhos		A B S	
		Total Iron	
		Total Manganese	

Remarks or special analyses Std Water Analysis.

Received at laboratory 4-9-69 Laboratory No. 22010

Analysis by C. J. T. Date 4-10-69



COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
INDUSTRIAL WASTE DIVISION

NOTICE OF VIOLATION
AND
ORDER TO COMPLY

Date 4/10/69
File Violations - Complaints

To Fire Line Joint Corp., Attn: Tolst, Secretary & Manager
Location 12226 Los Flores Rd., Santa Monica, California

You are hereby directed to correct the following violations of Los Angeles County Ordinance
Section 5371, also included in Los Angeles Ordinance 79.
No. 5110 and on the conditions and limitations of Industrial Waste Disposal Permit No.
by _____, 19____

You have been washing your paint mixing bottles on your paved lot on
the east side of your building at the above address and the waste water
flows to the unpaved area outside your driveway entrance, thence toward
down to the unpaved public street gutter.

This creates a public nuisance and may be a menace to public health or
safety and may pollute underground or surface waters. Such practice cannot
be tolerated and must be discontinued from this day forward upon receipt
of this order.

Any disposal of industrial waste must be done so in a proper manner and
legalized by first obtaining an Industrial Waste Disposal Permit, as
outlined in Section 5202. Any industrial waste hauled, must go to a
legal disposal site and properly signed hauling tickets must be available
to us for our final approval.

700 Los Angeles County
Engineering Building
108 West Second Street
Los Angeles, California 90012

JOHN A. LAMBIE, COUNTY ENGINEER
CARROLL D. SMITH, DIVISION ENGINEER

By Joe Knight
Head Industrial Waste Engineering
Inspector



MEMORANDUM

TO : Glen Danielson
City Engineer
FROM: Joe R. Knight
Head Industrial Waste Inspector
FILE: Violations and Complaints (Ground)
DATE: May 29, 1969

SUBJECT: Pine Line Paint Company
12200 Los Nietos Road
Santa Fe Springs

On May 28, 1969, Mr. Phil Studebaker, relayed a situation to me, wherein, the above company was operating at variance with the ordinance, by permitting the wash water from cleaning his paint vessels to be dumped on the ground on his own property, east of his building. From here it flowed to the street gutter in Los Nietos Road, thereby, creating a public nuisance.

I informed the plant manager, Art Holst, 696-5710, that his disposal discharging to the street was creating a public nuisance and was therefore a violation under the Ordinance. He said that he wanted to do what was right and would discontinue this discharge at once.

The next day, upon my return, the discharge had not been stopped, if anything, it was worse than ever. I there upon took pictures and a sample and on May 10, 1969, I issued an Order to Comply.

Subsequent check backs have shown this to be corrected and the street dried up. I also took pictures of the corrected situation.

The analysis on the waste sample showed the pollution qualities to be unsequential.

Mr. Holst says that he is now reusing the waste water in his product, thereby creating no industrial waste problem.

We will continue to notice the gutter situation when in the area and unless advised otherwise by you or if we find a recurrence of the above, this will conclude our reporting on this matter.

cc: E. Stokes
Field
File

COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
PROJECT PLANNING AND POLLUTION CONTROL DIVISION

NOTICE OF VIOLATION

AID

ORDER TO COMPLY

Date 12-21-73

File - VIOLATION & comp.

To FINE LINE PAINT CORP.

Location 12200 LOS NIETOS ROAD, SANTA FE SPRINGS

You are hereby directed to correct the following violations of Los Angeles County Ordinance No. 6130 and/or the conditions and limitations of Industrial Waste Disposal Permit No. - by IMMEDIATELY, 1973

SECTION 6301 STATES, IN PART, "A PERSON SHALL NOT DISCHARGE ANY MATERIAL WHICH MAY CREATE A PUBLIC NUISANCE OR MENACE TO THE PUBLIC HEALTH OR SAFETY OR WHICH MAY POLLUTE UNDERGROUND OR SURFACE WATERS..."

YOU ARE HEREBY DIRECTED TO CEASE AND DESIST FROM DISCHARGING INDUSTRIAL WASTE LIQUID TO THE GROUND SURFACE IMMEDIATELY

9150 East Imperial Highway
Downey, California 90242
(213) 923-7721

Bernice Fuller
HARVEY T. BRANDT, COUNTY ENGINEER
C. G. Brisley, Jr., Division Engineer

By David Solato

COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
PROJECT PLANNING AND POLLUTION CONTROL DIVISION

INSPECTOR'S REPORT

TO: ROGER HIGBEE DATE: 12-21-73

FROM: D. LCBATO FILE: viol. & comp.

INDUSTRY: FINE LINE PAINT CORP.

12200 LOS NIETOS RD., S.F.S.

REPORT: _____

As per your Instructions, I investigated a reported Ground discharge on Los Nietos Rd. It was observed that waste liquid was being discharged onto the ground surface (Los Nietos Rd. Right-of-way).

I attempted to discuss this matter with a person of competent position in this company but they had not returned from lunch. I then issued the attached Notice of Violation to the Receptionist and observed that the illegal discharge was terminated.

A Follow-up Inspection will be made to further discuss this problem with the owner. It appears that this company requires an I.W. Permit.

1-3-74 As yet, I have not been able to make a Follow-up Inspection.

Write memo to Mr. [unclear] re: [unclear]
Int. Habet [unclear] re: [unclear]
Wash. [unclear] - now [unclear] will not
and [unclear] - not [unclear] it - [unclear] [unclear] [unclear]

1. June 2nd 1974
7/31/74 Visit to Agua
to check on progress - Found
them had been a recent
spill which had overflowed to
right-of-way - spoke to Mr.
Holst who seemed surprised
that overflow had occurred -
he to see that it doesn't happen
again - says no bins get carbon
when waste is contained and
allow wash water to overflow.

CITY OF SANTA FE SPRINGS

NOTICE OF VIOLATION
AND
ORDER TO COMPLY

DEPARTMENT OF COUNTY ENGINEER
PROJECT PLANNING AND
POLLUTION CONTROL DIVISION
16623 S. BELLFLOWER BLVD.
BELLFLOWER, CALIFORNIA 90706
TO-67011; Ext. 255

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Date 1-23-75

File V & C

To Fineline Paint Company (Arthur and Herb Holst)

Location 12200 Los Nietos Road, Santa Fe Springs

You are hereby directed to correct the following violations of City
of Santa Fe Springs Ordinance No. 79 ~~and/or the conditions and~~
~~limitations of Industrial Waste Disposal Permits.~~ by see below
19 .

SECTION 6301: Waste water from washing out paint mixing kettles, and
spillage from drum storage area discharging to the ground and right of way.

Immediately cease and desist from all further illegal discharges to
the ground and right of way.

Remove all deposits of industrial waste material to a legal point
of disposal.

Submit a proposal and plans for proper treatment and disposal of your
industrial waste no later than 2-21-75.

Failure to comply with the above shall be considered willful disregard
of the City Ordinance.

- Encs. -City of SFSPS I. W. Disposal
Permit Application
-I. W. Statement Check List
-San. Dist. Instruction Booklet
- " " Application C 103497
- " " Critical Parameter Report Form
- Plan Check Instruction Sheet

Roger L. Higbee
Roger L. Higbee, Supv. Industrial
Waste Engineering Inspector

FINE LINE PAINT CORPORATION

Paint Manufacturers

ARCHITECTURAL • COMMERCIAL
INDUSTRIAL

12200 LOS NIQUOS ROAD • SANTA FE SPRING, CALIFORNIA 92670 888-571-4338 • 8101 • 888-5104

RECEIVED

FEB 21 1975

FROM: [illegible] AND
POLLUTION CONTROL DIVISION

February 18, 1975

Mr. Roger L. Higbee
Supervising Industrial Waste Engineering Inspector
Department of County Engineer-Pollution Control
16623 South Bellflower Boulevard
Bellflower, CA 90706

Dear Mr. Higbee:

Re: Notice of Violation and Order to Comply


Since your inspection and the arrival of your letter of violation there has been no discharge of waste water and solvent waste on either the ground of our premises or of the right-of-way.

We have provided drums for solvent waste and drums for water waste and a special area in which to collect and hold such waste for dumping to a Class I Dump.

I should like to point out that the re-using of our solvent waste has been our practice in the past and will be continued, thus leaving virtually no "waste" anyway, since it is re-used. We shall from this time forward be similarly re-using our water-waste in succeeding batches. We have, accordingly, arranged a series of settling drums for our colored materials so that they can be re-used later. Therefore there will be only small quantities of waste to be dumped. When such waste has accumulated, we can dump it using one of our own trucks. We have also made arrangements on a contingency basis for dumping of such waste by our tenant, Al Rios, who has a pumper tank truck.

All of our employees have been notified of the problem and the gravity of any violation has been made known to them. Signs have been posted in all areas to inform and remind employees in this matter.

Very truly yours,


Herbert J. Holst, Vice President
FINE LINE PAINT CORPORATION

EJH:lc

COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
PROJECT PLANNING AND POLLUTION CONTROL DIVISION

INSPECTOR'S REPORT

TO: Roger Higbee DATE: January 25, 1977FROM: Mary Jean Walker FILE: V&CINDUSTRY: Fine Line Paint Corp.
12200 E Los Nietos Rd., Santa Fe Springs

REPORT: A follow-up inspection was made to ascertain
compliance with Notice of Violation issued 1.23.75.
as outlined in letter received from firm 2.21.75.
(There is no record of compliance notices ever having
been issued for previous Notices of Violation issued
12.21.73 & 4.10.69.)

Water was ponded in the driveway & powder
residue from paint mixing operations was spilled along
approx. 40' of railroad right-of-way.

Mr. Art Holst, plant manager, explained that he
has no wastewater producing operations. He attributed
the presence of powder along the railroad right-of-way
to carelessness on the part of his employees, accidental
spillage, etc. Mr. Holst said the water in his driveway
was rainwater. It was pointed out that even so, the
water drained across his yard before ponding in the
driveway & was therefore considered contaminated.

Notice of Violation issued for removal of
powder residue (see attached).

CITY OF SANTA FE SPRINGS

NOTICE OF VIOLATION
AND
ORDER TO COMPLY

Date January 26, 1977

File V & C

To Art Holst, Fine Line Paint Corp.

Location 12200 E. Los Nietos Road, Santa Fe Springs

You are hereby directed to correct the following violations of City
of Santa Fe Springs Ordinance No. 79 and/or the conditions and
limitations of Industrial Waste Disposal Permit No. _____ by see below.
19____.

SECTION 6301: Allowing the continued existence of material which may create
a public nuisance or cause damage to public or private property.

Powder residue along railroad right of way must be removed to a legal
point of disposal no later than February 14, 1977.*

You are further required to submit to the office below a letter of
explanation as to the cause of the above violation and a proposal to prevent
the recurrence of a similar situation. This letter must be received by
the office below no later than February 14, 1977.

*Please contact this office for a
reinspection when the violation has
been corrected.

DEPARTMENT OF COUNTY ENGINEER
PROJECT PLANNING AND
POLLUTION CONTROL DIVISION
16623 S. BELLFLOWER BLVD.
BELLFLOWER, CALIFORNIA 90706

By

Mary Jean Walker
Mary Jean Walker
Ind. Waste Engr. Inspector

City of SFS

CITY OF SANTA FE SPRINGS

NOTICE OF VIOLATION
AND
ORDER TO COMPLY

Date January 26, 1977
File V & C

To Art Holst, Fine Line Paint Corp.

Location 12200 E. Los Nietos Road, Santa Fe Springs

You are hereby directed to correct the following violations of City
of Santa Fe Springs Ordinance No. 79 and/or the conditions and
limitations of Industrial Waste Disposal Permit No. by see below,
19 .

SECTION 6301: Allowing the continued existence of material which may create
a public nuisance or cause damage to public or private property.

Powder residue along railroad right of way must be removed to a legal
point of disposal no later than February 14, 1977.*

You are further required to submit to the office below a letter of
explanation as to the cause of the above violation and a proposal to prevent
the recurrence of a similar situation. This letter must be received by
the office below no later than February 14, 1977.

*Please contact this office for a
reinspection when the violation has
been corrected.

DEPARTMENT OF COUNTY ENGINEER
PROJECT PLANNING AND
POLLUTION CONTROL DIVISION
16623 S. BELLFLOWER BLVD.
BELLFLOWER, CALIFORNIA 90706

By Mary Jean Walker
Mary Jean Walker
Ind. Waste Engr. Inspector

COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
PROJECT PLANNING AND POLLUTION CONTROL DIVISION

INSPECTOR'S REPORT

TO: Roger Higbee DATE: February 8, 1977

FROM: Mary Jean Walter FILE: V & C

INDUSTRY: Fine Line Paint Corporation

12200 E. Los Nietos Rd., Santa Fe Springs

REPORT: Follow-up inspection was made 2-3-77 to ascertain
compliance with Notice of Violation issued 1-26-77.

Area along railroad-right-of-way was clean.



FINE LINE PAINT CORPORATION

Paint - Manufacturers

ARCHITECTURAL - COMMERCIAL
INDUSTRIAL

12200 LOS NIETOS ROAD • SANTA FE SPRINGS, CALIFORNIA 90870 896-3710 • 898-8103 • 898-8104

February 4, 1977

Department of County Engineer
Project Planning and
Pollution Control Division
16623 S. Bellflower Blvd.
Bellflower, Ca. 90706


Attention: Mary Jean Walkers

Please be notified that the powder residue, along the railroad has been removed and cleared away- cause for this was employee's were very careless and had not followed instructions- Employee's have been very strongly instructed to never throw rubbish there again.

Also to correct the dirty water in front of the building, when it rains, the employees will sweep the plant yard of all dry material, so as this should not happen again.

Thank you,

FINE LINE PAINT CORPORATION



ARTHUR E. HOLST JR.
President

AEH/bf

COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
SANITATION DIVISION

NOTICE OF VIOLATION
AND
ORDER TO COMPLY

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Date Sept. 30, 1982

File _____

To Fine Line Paints

Location 12200 Los Nietos Rd. Santa Fe Springs

You are hereby directed to correct the following violations of Los Santa Fe Springs Angeles County Ordinance No. 562 and/or the conditions and limitations of Industrial Waste Disposal Permit No. _____ by see below, 19 _____

SECTION 6301: A person shall not discharge any material which may create a public nuisance or which may pollute underground or surface waters.


You are directed to immediately cease discharging paint and paint related materials to the ground. You are also required to remove the soil along the railroad tracks which has been contaminated with this material and take it to a legal point of disposal by 10/15/82. Properly signed hauling tickets must be available for our inspection.

If you have any questions regarding this notice, you may contact Mr. John Hunter at 866-7011 ext. 255, between 8:00 and 9:00 AM.

550 So. Vermont Avenue
Los Angeles, California 90020
(213) 735-2521

STEPHEN J. KOONCE, COUNTY ENGINEER
Kenneth R. Kvammen, Asst. Deputy Co. Engr.

By



John Hunter

rw 41
3-27-81

FILE

SANTA FE SPRINGS
Jurisdiction

File No. _____

COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER-FACILITIES
SANITATION DIVISION
INVESTIGATION REPORT

Complainant Gilbert Lee Santa Fe Sprgs Planning

Rec'd by John Hunter

Address Santa Fe Springs City Hall Phone 862-0511

Date 9/30/82 Time 11:00

Firm Name Fine Line Paints

Assigned to John Hunter

Location Address 12200 Los Nietos Rd.

Referral: CRWQCB () SMD ()
LACoFCD () LACoHD ()
Other _____

Date(s) of Occurrence Continuous

Nature of complaint(violation) This company is washing equipment in the
Railroad right-of-way behind their bldg.

Special Instructions Investigate

REPORT: (Narrative description of observations including physical condition of site, types of materials and chemicals, trade names, extent of waste flow, damage observed, statements of witnesses, preventive measures taken, location of sample points and directives given to alleged discharger.)

Three distinct areas of discharge were observed at the rear of this
property(see sketch). The first area is located directly behind the main
mixing room. Employees have been washing equipment on the railroad right-of-
way resulting in a large area having a coating of paint residues on the soil.
A second area to the southeast, just behind a drum storage area, had a pool
of predominantly grey and black liquid along the tracks. Adjacent to this

FINE LINE PAINTS
12200 LOS NIETOS RD
SANTA FE SPRINGS

9/30/82



LOCATION
OF
PICTURES

LOS NIETOS

1. AREA WHERE
EMPLOYEES HAVE
BEEN CLEAVING
EQUIPMENT, LEAVING
A COATING OF
MATERIAL ON SOIL

2. CURRENT DISCHARGE
TO GROUND

3. AREA OF
NUMEROUS POST
SPILLS

FINE LINE PAINT 12200 LOS NIETOS RD



PICTURE # 2

9/30/82

FINE LINE PAINT

12200 LOS NIETOS RD



PICTURE # 1

9/30/82

COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
PROJECT PLANNING AND POLLUTION CONTROL DIVISION

INSPECTOR'S REPORT

TO: (AFL 536012C) DATE: 2/27/83

FROM: JOHN HUNTER FILE: I-7631-1H

INDUSTRY: 1. LIME POINTS

12200 LOC. NITE, SANTA FE SPRINGS

REPORT: _____

AN INSPECTORIAL PARTY ON THIS DATE FOUND THAT
AREA 2 (MENTIONED IN THE 9/82 NOTICE OF VIOLATION)
WAS CLEAN

COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
PROJECT PLANNING AND POLLUTION CONTROL DIVISION

INSPECTOR'S REPORT

TO: CARL SIEBERG DATE: 1/17/83

FROM: JOHN HANCOCK FILE: I-7632-1H

INDUSTRY: FINELINE PAINTS

12200 LOS NIETOS RD SANTA FE SPRINGS

REPORT: SEVERAL INSPECTIONS HAVE BEEN MADE SINCE THE INITIAL
INVESTIGATION WAS MADE ON 9/30/82. NO DISCHARGES TO THE GROUND
HAVE BEEN OBSERVED. AREAS 2 & 3 ON THAT REPORT HAVE BEEN
CLEANED. AREA 1 HAS NOT BEEN. ACCORDING TO DON WESTPHALEN,
HE WAS INSTRUCTED BY THE RAILROAD COMPANY NOT TO REMOVE ANY
OF THIS MATERIAL SINCE IT IS THE BALLAST ON ONE OF THEIR
LINES. THE SAMPLE TAKEN ON 10/21/82 WAS TAKEN FROM
AREA 1.

What's the latest on this. If the railroad 12/4/82
been cleaned up issue a notice to both Fineline and
the railroad. Check with the city as to other problems
that may exist. This company has had recurring
problem and as far as ~~the~~ you covered, they
used a permit that prohibits discharge.

How much waste is on-hand at any given
time?
ON HAND

CLH

COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
PROJECT PLANNING AND POLLUTION CONTROL DIVISION

INSPECTOR'S REPORT

TO: CARL SEDDER DATE: 1/17/83

FROM: JOHN HUNTER FILE: I-7632-1H

INDUSTRY: FUELING POINTS

12200 LOS NISTOS RD SANTA FE SPRING

REPORT: SEVERAL INSPECTIONS HAVE BEEN MADE SINCE THE INITIAL
INVESTIGATION WAS MADE ON 9/30/82. NO DISCHARGES TO THE GROUND
HAVE BEEN OBSERVED. AREAS 2 & 3 ON THAT REPORT HAVE BEEN
CLEANED. AREA 1 HAS NOT BEEN. ACCORDING TO DON WESTPHALEN,
HE WAS INSTRUCTED BY THE RAILROAD COMPANY NOT TO REMOVE ANY
OF THIS MATERIAL SINCE IT IS THE BALLAST ON ONE OF THEIR
LINES. THE SAMPLE TAKEN ON 10/21/82 WAS TAKEN FROM
AREA 1.

Within the letter on this. If the railroad is/has
been cleaned-up issue a notice to both fueling and
the railroad. Check with the city as to other problems
that may exist. This company has had recurring
problem and as far as ~~the~~ fueling they
used a permit that prohibits discharge.

How much waste is on-hand at any given
time? ON HAND

CEB

**COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
PROJECT PLANNING AND POLLUTION CONTROL DIVISION
CHEMICAL ANALYSIS REQUEST**

By CARL STODOLG Job No. 3240.10

Sample Source FINE LINE PAINTS 12200 LOS NIETOS SANTA FE SPRINGS
Name and address or location

Sample Of Industrial Waste ☒ Water ☐ Sewage ☐ Other specify

If Industrial Waste
Type of Industry or Process PAINT VAT WASH OUT File No. _____

Discharge Surface ☒ Subsurface ☐ Sewer ☐ Stored-Hauled ☐

Sampling Point SOIL BEHIND PLANT ALONG RAIL ROAD TRACKS
Specific location in treatment or process

Sample Marked FINE LINE Quant. 1 QT Temp. (F°) — Time 11:00 Date 10/21/82

Collector ICHA HUNTER Special Instructions _____

Parameter	✓	Mg/l or ppm	Parameter	✓	Mg/l or ppm
Calcium (Ca)			Nickel (Ni)		
Magnesium (Mg)			Selenium (Se)		
Sodium (Na)			Chloride (Cl)		
Potassium (K)			Sulfate (SO ₄)		
Iron Fe <u>TITANIUM</u>	✓		Bicarbonate (HCO ₃)		
Manganese (Mn)			Carbonate (CO ₃)		
Aluminum (Al)			Hydroxide (OH)		
Boron (B)			Fluoride (F)		
Chromium (Cr)	✓		Phosphate (PO ₄)		
Silica (Si)			Cyanide (CN)		
Arsenic (As)			Sulfide (H ₂ S)		
Barium (Ba)			Residual Chlorine (Cl ₂)		
Cadmium (Cd)	✓		Nitrate Nitrogen (NO ₃ -N)		
Copper (Cu)	✓		Nitrite Nitrogen (NO ₂ -N)		
Lead (Pb)	✓		Ammonia Nitrogen (NH ₃ -N)		
Mercury (Hg)	✓		Organic Nitrogen (Org-N)		
Zinc (Zn)			Thiosulphate (S ₂ O ₃)		
pH			Dissolved Oxygen (DO)		
Hardness (as CaCO ₃)			Biochemical Oxygen Demand (BOD)		
Alkalinity (as CaCO ₃)			Chemical Oxygen Demand (COD)		
Non-Carbonate Hardness			Dissolved Solids		
Oil & Grease			Suspended Solids		
Phenols			Total Solids		
MBAS (surfactants Anionic)			Settleable Solids		
Turbidity			Color		
Conductance (micromhos)			Odor		
Sodium Ratio			Coliform		

Remarks _____

Date Received _____ Laboratory No. _____ Analysis by _____ Date Completed _____

NOTICE OF VIOLATION

JDM 9781

7/11/88
DATE OF VIOLATION

FIVE LINE PAINT CORP.
NAME

12200 LOS NIEMOS RD SANTA FE SPRING
ADDRESS CITY

12200 LOS NIEMOS RD
LOCATION - ADDRESS OF VIOLATION

SANTA FE SPRING UN (213) 946-6121
CITY SECTOR TELEPHONE NO

YOU ARE HEREBY NOTIFIED THAT A VIOLATION OF THE CALIFORNIA
HEALTH AND SAFETY CODE SECTION(S)
AND/OR SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT RULES
AND REGULATIONS, RULE(S) 301, 302
HAVE BEEN COMMITTED. SUCH VIOLATIONS MAY BE PUNISHED AS
MISDEMEANORS PURSUANT TO CALIFORNIA HEALTH AND SAFETY
CODE SECTION 42400, OR CIVIL PENALTIES MAY BE IMPOSED
PURSUANT TO CALIFORNIA HEALTH AND SAFETY CODE SECTION
42402.

AIR CONTAMINANT SMOKE ODORS DUST FUMES GASES ACIDS
PARTICULATE MATTER OTHER

OPACITY _____ AGGREGATING _____ MIN. FROM _____ am _____ pm

EQUIPMENT/SOURCE INSTALLATION / OPERATION
OF ABOVE GROUND 111-TRI STORAGE
TANK - APPROX 1000 GAL CAPACITY

CONTROL NO.

BY P. DELACROIX
INSPECTOR

TELEPHONE (714) 877-1444

SERVED TO: IRIS RICHNER DATE 7/12/88

TITLE GEN. MANAGER BY P. DELACROIX
INSPECTOR

No. Z36023

ENFORCEMENT DIVISION

VIOLATOR COPY CO



CITY OF SANTA FE SPRINGS FIRE DEPARTMENT

Fire Protection Division • Environmental Protection Division
11300 Greenstone Avenue • Santa Fe Springs, CA 90670-4619 • (562) 944-5713 • FAX (562) 941-1817 • fire@santafesprings.org

NOTICE OF VIOLATION & ORDER TO COMPLY

Business Name: Fine Line Paints Contact: Feliciano Kreslang
Site Address: 12200 Los Nietos Unit # _____ Telephone: 567-2418
Business Owner: Sailand Paint Company Inspected by: Richard Kallman

☒ FIRST NOTICE 2-16-99
DATE

□ SECOND NOTICE

☐ THIRD NOTICE

Compliance
Due Date

3-16-99

Compliance
Due Date

Compliance
Due Date

CORRECT THE BELOW STATED VIOLATIONS, SIGN AND RETURN FORM TO AVOID LATE FINES

1st Notice NO CHARGE
2nd Notice \$50 Fine
3rd Notice \$100 Fine
Office Meeting \$500 Fine

ITEM	DESCRIPTION OF VIOLATIONS:
1.	Provide labels on/near drums of hazardous material (49 CFR 8001.7).
2.	Vent pipe outlets from Aboveground Storage Tanks shall not terminate below canopy (49 CFR 7901.10.4).
	No Hazwaste Violations Found

Signature of Responsible Party

Name - Product

Date _____